
This file has been cleaned of potential threats.

To view the reconstructed contents, please SCROLL DOWN to next page.



7 85 P15 7. P13 7. P13 103 1105 P20 103 1755 P20 103 11755 P20 103 11755 P20 103 11755 P20 103 11755 P20									
Aditya - U Machine 0. P13 7 3 7. P3 1. 10. 3105 P30 1. 10. 31	т	G	L.	ш	۵	U	۵	4	٦
Aditya - U Machine 0. P13 7 3 7. P3 1. 10. 3105 P30 1. 10. 31									
$\frac{Aditya - U Machine}{\frac{55 + 15}{7} - \frac{15}{7} - \frac{53 + 105}{7} - \frac{10}{7} $									8
$\frac{Aditya - U Machine}{\frac{55 + 15}{7} - \frac{15}{7} - \frac{53 + 105}{7} - \frac{10}{7} $									
$\frac{Aditya - U Machine}{\frac{55 + 15}{7} - \frac{15}{7} - \frac{53 + 105}{7} - \frac{10}{7} $								F	_
$\frac{Aditya - U Machine}{\frac{55 + 15}{7} - \frac{15}{7} - \frac{53 + 105}{7} - \frac{10}{7} $									
$\frac{Aditya - U Machine}{\frac{55 + 15}{7} - \frac{15}{7} - \frac{53 + 105}{7} - \frac{10}{7} $									
Aditya -U Machine 5 7 P15 7 TL-04-ELB P20 7 TL-03 3100 P20 1 TL-03 3755-P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 3100 P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 7 P20 1 TL-05 7 P20 1 TL-05 7 P20									7
Aditya -U Machine 5 7 P15 7 TL-04-ELB P20 7 TL-03 3100 P20 1 TL-03 3755-P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 3100 P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 7 P20 1 TL-05 7 P20 1 TL-05 7 P20									
Aditya -U Machine 5 7 P15 7 TL-04-ELB P20 7 TL-03 3100 P20 1 TL-03 3755-P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 3100 P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 7 P20 1 TL-05 7 P20 1 TL-05 7 P20								F	\neg
Aditya -U Machine 5 7 P15 7 TL-04-ELB P20 7 TL-03 3100 P20 1 TL-03 3755-P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 3100 P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 7 P20 1 TL-05 7 P20 1 TL-05 7 P20									
Aditya -U Machine 5 7 P15 7 TL-04-ELB P20 7 TL-03 3100 P20 1 TL-03 3755-P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 3100 P20 1 TL-03 3755-P20 1 TL-04 ELB P20 1 TL-05 7 P20 1 TL-05 7 P20 1 TL-05 7 P20									
Aditya -U Machine 55 P15 7 P15 7 P15 7 P15 7 L-05 3100 P20 TL-05 3100 P20 TL-03 1755-P20 9 300 P20 TL-03 1755-P20 1 0 957 P20 2 2 2 2 2 2 2 2 2 2 2 2 2									6
Aditya -U Machine 55 P15 7 P15 7 P15 7 P15 7 L-05 3100 P20 TL-05 3100 P20 TL-03 1755-P20 9 300 P20 TL-03 1755-P20 1 0 957 P20 2 2 2 2 2 2 2 2 2 2 2 2 2									
Aditya -U Machine 55 P15 7 P15 7 P15 7 P15 7 L-05 3100 P20 TL-05 3100 P20 TL-03 1755-P20 9 300 P20 TL-03 1755-P20 1 0 957 P20 2 2 2 2 2 2 2 2 2 2 2 2 2								F	\neg
Aditya -U Machine 55 P15 7 P15 7 P15 7 P15 7 L-05 3100 P20 TL-05 3100 P20 TL-03 1755-P20 9 300 P20 TL-03 1755-P20 1 0 957 P20 2 2 2 2 2 2 2 2 2 2 2 2 2									
Aditya -U Machine 55 P15 7 P15 7 P15 7 P15 7 L-05 3100 P20 TL-05 3100 P20 TL-03 1755-P20 9 300 P20 TL-03 1755-P20 1 0 957 P20 2 2 2 2 2 2 2 2 2 2 2 2 2									5
Aditya -U Machine									5
Aditya -U Machine									
Aditya -U Machine								F	\neg
Aditya -U Machine									
Aditya -U Machine									4
55 P15 TL-04-ELB P20 7 P15 7 P15 TL-05 3100 P20 TL-03 1755-P20 66 3100 P20 TL-01 957 P20	Ac	litya -U	Machine						
7 P15 TL-05 3100 P20 TL-03 1755-P20 86 3100 P20 TL-03 1755-P20 2 96 3100 P20 TL-02 ELB P20	/	-							
7 P15 TL-05 3100 P20 TL-03 1755-P20 3 66 3100 P20 TL-02 ELB P20 2 7 TL-01 957 P20 TL-02 ELB P20 2 2 10000000000 P00 FE 050 P01.06 P00 P00 FE 050 P1.06 P1.00 P1.06 P1.00 P1.06 P1.00 P1.06 P		<u>T</u> L-	04-ELB P20					F	\neg
1 1 1	<u>57 P15</u> / <u>TL-05</u>								
26 3100 P20 <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-02 ELB P20</u> <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-02 ELB P20</u> <u>TL-02 ELB P20</u> <u>TL-02 ELB P20</u> <u>TL-01 957 P20 <u>TL-01 957 P20</u> <u>TL-01 957 P20 <u>TL-01 957 P20 P20 <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-01 957 P20</u> <u>TL-01 957 P20 <u>TL-01 957 P20</u> <u>TL-01 957 P20 <u>TL-01 957 P20 <u>TL-01 957 P20 <u>TL-01 957 P20 <u>TL-01 957 P20</u> <u>TL-01 957 P20 <u>TL-01 957 P20 <u>TL-01 957 P20 <u>TL-01 957 P20</u> <u>TL-01 957 P20 <u>TL-01 957 P</u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u></u>	/	- Ali							3
DRG. NO V 8-25 VV 1.6-8 VV 0.025 REVISION COLUMN ASS'Y GROUP: SIZE ALL INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. DRG.NO V 8-25 VV 1.6-8 VV 0.025 REVISION COLUMN ASS'Y GROUP: SIZE ALL INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. IMACHINING DEVIATIONS FOR NON-TOLERANCED DIMENSIONS REV ZONE DESCRIPTION DATE REMARKS APPROVED BY INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. ILENGTH IN mm OF SHORTER SIDE OF ANGLES INSTITUTE FOR PLASMA RESEARCH BAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. ILENGTH IN mm OF SHORTER SIDE OF ANGLES INSTITUTE FOR PLASMA RESEARCH BAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE BAT, GANDHINAGAR-382 INTE BAT, GANDHINAGAR-382 428. UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE BAT, GANDHINAGAR-382 INTE BAT, GANDHINAGAR-382 UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE 40.1 INTE 40.1 INTE 40.1 INTE 40.1		TL	-03 1755-P20						
DRG. NO V 8-25 VV 1.6-8 VV 0.025 REVISION COLUMN ASS'Y GROUP: SIZE ALL INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. DRG.NO V 8-25 VV 1.6-8 VV 0.025 REVISION COLUMN ASS'Y GROUP: SIZE ALL INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. IMACHINING DEVIATIONS FOR NON-TOLERANCED DIMENSIONS REV ZONE DESCRIPTION DATE REMARKS APPROVED BY INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. ILENGTH IN mm OF SHORTER SIDE OF ANGLES INSTITUTE FOR PLASMA RESEARCH BAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. ILENGTH IN mm OF SHORTER SIDE OF ANGLES INSTITUTE FOR PLASMA RESEARCH BAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE BAT, GANDHINAGAR-382 INTE BAT, GANDHINAGAR-382 428. UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE BAT, GANDHINAGAR-382 INTE BAT, GANDHINAGAR-382 UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE 40.1 INTE 40.1 INTE 40.1 INTE 40.1									
DRG. NO V 8-25 VV 1.6-8 VV 0.025 REVISION COLUMN ASS'Y GROUP: SIZE ALL INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. DRG.NO V 8-25 VV 1.6-8 VV 0.025 REVISION COLUMN ASS'Y GROUP: SIZE ALL INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. IMACHINING DEVIATIONS FOR NON-TOLERANCED DIMENSIONS REV ZONE DESCRIPTION DATE REMARKS APPROVED BY INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. ILENGTH IN mm OF SHORTER SIDE OF ANGLES INSTITUTE FOR PLASMA RESEARCH BAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. ILENGTH IN mm OF SHORTER SIDE OF ANGLES INSTITUTE FOR PLASMA RESEARCH BAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE BAT, GANDHINAGAR-382 INTE BAT, GANDHINAGAR-382 428. UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE BAT, GANDHINAGAR-382 INTE BAT, GANDHINAGAR-382 UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE 40.1 INTE 40.1 INTE 40.1 INTE 40.1	~							F	
DRG. NO V 8-25 VV 1.6-8 VV 0.025 REVISION COLUMN ASS'Y GROUP: SIZE ALL INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. DRG.NO V 8-25 VV 1.6-8 VV 0.025 REVISION COLUMN ASS'Y GROUP: SIZE ALL INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. IMACHINING DEVIATIONS FOR NON-TOLERANCED DIMENSIONS REV ZONE DESCRIPTION DATE REMARKS APPROVED BY INSTITUTE FOR PLASMA RESEARCH BHAT, GANDHINAGAR-382 428. ILENGTH IN mm OF SHORTER SIDE OF ANGLES INSTITUTE FOR PLASMA RESEARCH BAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. ILENGTH IN mm OF SHORTER SIDE OF ANGLES INSTITUTE FOR PLASMA RESEARCH BAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. INTE BHAT, GANDHINAGAR-382 428. UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE BAT, GANDHINAGAR-382 INTE BAT, GANDHINAGAR-382 428. UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE BAT, GANDHINAGAR-382 INTE BAT, GANDHINAGAR-382 UPTO 10 10-50 50-120 OVER 120-400 OR INTE 40.1 INTE 40.1 INTE 40.1 INTE 40.1 INTE 40.1	D6 3100 P20								
DRG.NO V 0.25 0V0 1.6-8 0V0 2.5-1.6 0V0 0.025 REVISION COLUMN ASS ' GRU :- S1C S1C BHAT, GANDHINAGAR-382 428. CO-ORDINATED BY		Ţ	L-02 ELB P20						2
CO-ORDINATE BY V V V Rev Rev ZOR DESCRIPTION DATE REVARES APPROVED BY ALL DISERSIONS ARE IN TWO REV BHAT, GANDHINAGAR-382 428 LENGTH IN TWO F VARUES DESCRIPTION FRIMARKS APPROVED BY ALL DISERSIONS ARE IN TWO REVARES FRIMARKS APPROVED BY ALL DISERSIONS ARE IN TWO REVARES BHAT, GANDHINAGAR-382 428 LENGTH IN TWO F VARUES LENGTH UPTO 0.30 30.120 120.315 I Image: Control of the second of	<u>12-01 857 720</u>								
CO-ORDINATE BY V V V Rev Rev ZOR DESCRIPTION DATE REVARES APPROVED BY ALL DISERSIONS ARE IN TWO REV BHAT, GANDHINAGAR-382 428 LENGTH IN TWO F VARUES DESCRIPTION FRIMARKS APPROVED BY ALL DISERSIONS ARE IN TWO REVARES FRIMARKS APPROVED BY ALL DISERSIONS ARE IN TWO REVARES BHAT, GANDHINAGAR-382 428 LENGTH IN TWO F VARUES LENGTH UPTO 0.30 30.120 120.315 I Image: Control of the second of									
CO-ORDINATE BY V V V Rev Rev ZOR DESCRIPTION DATE REVARES APPROVED BY ALL DISERSIONS ARE IN TWO REV BHAT, GANDHINAGAR-382 428 LENGTH IN TWO F VARUES DESCRIPTION FRIMARKS APPROVED BY ALL DISERSIONS ARE IN TWO REVARES FRIMARKS APPROVED BY ALL DISERSIONS ARE IN TWO REVARES BHAT, GANDHINAGAR-382 428 LENGTH IN TWO F VARUES LENGTH UPTO 0.30 30.120 120.315 I Image: Control of the second of	DRG.NO 🛡 8-25	5 977 1.6-8 17079 0.025-1	.6 7777 < 0.025	REVISION (COLUMN	ASS'Y GROUP:			
LENGTH IN mm OF SHORER SIDE OF ANGLES LENGTH UPTO 6-30 30-120 120-315 Image: Control of the state of the	CO-ORDINATED BY		REV Z			ED BY ALL DIMENSIONS ARE IN 'mm'	HAT, GANDHINAGAF	азма незеансн 1-382 428.	
<u>+1</u> <u>+0</u> ·30' <u>+0</u> ·20' <u>+0</u> ·10' <u>10</u> <u>+0</u> .1 <u>+0</u> .2 <u>+0</u> .3 <u>+0</u> .5 <u>APPROVED</u> <u>DR0.NO</u> <u>IPR/ICH-TL/A3/16/4027</u> <u>SHEET</u> <u>02 0F 06</u>	LENGTH IN mm OF SHORTER SIDE	OF ANGLES UPTO 6				DRAWN KRR 20.7.16	9-3/16" CO-OXIAL TRA ASSEMBLY		1
F E D C B A		DTA I O 1	+0.2 +0.3 +0.5					, SHEET	
			F	Е	D	с	В	А	

